## REMARKS

Favorable reconsideration of this application is respectfully requested in light of the following remarks, wherein Claims 10 and 20 have been amended and new Claims 21 and 22 have been added to the application. Currently, Claims 10-22 are pending in the application.

As an initial matter, applicants express gratitude for the indication of allowable subject matter with regard to dependent Claims 18 and 19. As a result, new independent Claim 21 has been added to the application which includes the recitations of base Claim 10 and allowable Claim 18. Claim 22 recites the subject matter of Claim 19, and is dependent upon independent Claim 21. Accordingly, it is submitted that Claims 21 and 22 are allowable over the art of record.

Claims 10, 12, 13, 16, 17 and 20 stand rejected under 35 USC § 102(b) as being anticipated by U.S. Patent No. 4,887,945 to *Pano* ('945). Claims 11 and 14 stand rejected under 35 USC §103(a) as being unpatentable over *Pano*. Claim 15 stands rejected under 35 USC §103(a) as being unpatentable *Pano* ('945) in view of U.S. Patent No. 5,112,164 to *Pano* ('164).

A disclosed, nonlimiting embodiment of the invention pertains to a tool head and metal machining tool comprising a tool head with a cutting insert removably mounted therein. In particular, independent Claim 10 pertains to a tool head adapted to receive a cutting insert for chip removal machining. A basic holder includes an insert holder formed by a lower support part and an upper clamping portion which define therebetween an insert-receiving pocket. A slot extends through the basic holder at a location spaced from the pocket wherein the clamping portion is joined to a remaining portion of the basic holder by a hinge portion about which the clamping portion is elastically displaceable toward the lower support part. A recess extends through the basic holder substantially parallel to the slot and

in communication therewith. A nut roll is positioned within the recess. A clamping screw extends through the slot and into threaded engagement with the nut roll. The clamping screw includes a substantially conical head arranged to enter the slot and engage the upper clamping portion to expand the slot and elastically displace the clamping portion about the hinge portion and toward the support part.

Independent Claim 10 has been amended to include the feature that the clamping screw is oriented perpendicularly to the nut roll. None of the art of record disclose these patentable features.

In contrast, *Pano* ('945) describes a tool holder which includes an insert receiving pocket formed by a pair of clamping jaws. With reference to Figure 1, an open ended insert receiving pocket 6 is defined between upper and lower substantially parallel clamping surfaces 7 and 8 in a curved rear end surface 9. An elongated slot 12 opens into the longitudinal edge 2 of the holder blade 1, and is formed at its inner end with a circular, widened portion 14 and a circular widened portion 15. As shown in Figures 7 and 8, a tightening screw 25 is inserted into the widened portion 15 of the elongated slot 12 into a clamping element 21 which acts to clamp the insert 27. The clamping element 21 and the tightening screw 25 are oriented parallel to one another.

In contrast, the tool head, as defined in independent Claim 10, includes a clamping screw which is oriented perpendicularly to the nut roll. This allows the clamping screw to secure the insert more easily than the clamping screw and tool head of *Pano* ('945). For example, in *Pano* ('945), the clamping screw is inserted from a side location, thereby forcing the user to come to a side location to ensure that clamping is accomplished. In contrast, the clamping screw of the present invention is oriented in such a manner that a user can readily clamp the insert from a top location, without requiring the user to come to a side location. As

Atty. Dkt. No. 024445-533 U.S. Appln. No. 10/518,235

Response to Office Action dated September 22, 2005

such, the clamping screw allows the insert to be clamped at a more accessible location. Pano

('945) does not disclose or recognize these patentable features. Accordingly, independent

Claim 10 is patentable over the *Pano* ('945) reference.

Likewise, independent Claim 20 is directed to a metal machining tool which includes

a tool head. Similar to the claim of independent Claim 10, Claim 20 has been amended to

recite that the clamping screw is oriented perpendicularly to the nut roll. Accordingly, for the

same reasons described in connection with independent Claim 10, Claim 20 is also believed

to be allowable over the art of record.

For at least the foregoing reasons, it is submitted that the tool head and metal

machining tool of independent Claims 10 and 20, and the claims depending therefrom, are

patentably distinguishable over the applied document. Accordingly, withdrawal of the

rejections of record and allowance of this application are earnestly solicited.

Should any questions arise in connection with this application, or should the

Examiner believe a telephone conference would be helpful in resolving any remaining issues

pertaining to this application, the undersigned respectfully requests that she be contacted at

the telephone number indicated below.

Respectfully Submitted,

DRINKER BIDDLE & REATH LLP

December 15, 2005 Date:

DRINKER BIDDLE & REATH LLP

Customer No. 55694

1500 K Street, N.W., Suite 1100

Washington, D.C. 20005-1209

Tel. No.: 202-842-8800

EPS:mk

By:

P. Specta Elaine P. Spector

Registration No. 40,116

Tel. No.: (202) 842-8863

Fax No.: (202) 842-8465